



Short Form Catalogue

LADIES
SIZES
AVAILABLE



GET IN TOUCH

05 005 9773 / 02 464 143 28



[carok_safety](#)



[Carok safety](#)



[carokglobal.com](#)



carokltd@gmail.com

**Location: Tema Community 17, Lashibi. NDC Bus Stop, Adjacent to
Crown Premier Hotel, Tema, Ghana**



CERTIFIED PRODUCT

CS2000T3

Lightweight Vented Hi-Vis Drill Shirt with TRuVis Tape



TRU
WORKWEAR
CORE
SERIES

COLOURS

- CS2000T3-Y/N
Yellow/Navy
S-5XL
- CS2000T3-O/N
Orange/Navy
S-5XL

PACKAGING

- 10 20

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957:1998 Textiles

- Care labelling

- Wash prior to first time use
- Machine wash at no more than 70°C
- Do not bleach or use whiteners
Wash with standard laundry detergent
- Dry in shade
- Do not overdry
- Warm tumble dry
- Rinse thoroughly
- Hot iron
- Dry cleanable (A)

SUN PROTECTION

UPF50+ Excellent Protection

Garments received a pass under AS4399:2020 Sun protective clothing

- Evaluation and classification

FEATURES

- Lightweight breathable fabric offers all day wearer comfort
- TRuVis Reflective Tape tested to standard AS/NZS 1906.4:2010
- Double hoop tape configuration, in accordance with safety standards
- Horizontal back cooling vents and underarm mesh offering comfort in hot and humid conditions
- Two buttoned pockets, one with pen partition
- Adjustable cuff for fitted comfort
- Fabric controls undesired static electricity in accordance with Standard AS/NZS 1020:1995



SIZING

Size	S	M	L	XL	2XL	3XL	4XL	5XL
Neck (cm)	36/37	38/39	41/42	43/44	45/46	47/48	49/50	51/52
To Fit Chest (cm)	90	95	100	105	110	115	120	125

TRUWORKWEAR.COM.AU

MENS

DS2166T1

Lightweight Vented L/S Hi-Vis Drill Shirt with 3M™ Tape



TRU
WORKWEAR
PLUS
SERIES

COLOURS

- DS2166T1-Y/N
Yellow/Navy
XS-6XL
- DS2166T1-O/N
Orange/Navy
XS-6XL

PACKAGING

- 10 20

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957:1998 Textiles

- Care labelling

- Wash prior to first time use
- Machine wash at no more than 70°C
- Do not bleach or use whiteners
Wash with standard laundry detergent
- Dry in shade
- Do not overdry
- Warm tumble dry
- Rinse thoroughly
- Hot iron
- Dry cleanable (A)

SUN PROTECTION
UPF50+ Excellent Protection
Garments received a pass under AS4399:2020 Sun protective clothing

- Evaluation and classification

FEATURES

- Lightweight cotton fabric offering comfort and durability
- Colour-fast fabric maintaining long-term high-visibility
- 3M™ Scotchlite™ Reflective tape tested to standard AS/NZS 1906.4:2010
- Horizontal back cooling vents and underarm mesh vents keep you cool in hot and humid conditions
- Two buttoned pockets, one with pen partition
- Adjustable cuff for fitted comfort
- Fabric controls undesired static electricity in accordance with Standard AS/NZS 1020:1995



SIZING

Size	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck (cm)	34/35	36/37	38/39	41/42	43/44	45/46	47/48	49/50	51/52	53/54
To Fit Chest (cm)	85	90	95	100	105	110	115	120	125	130

TRUWORKWEAR.COM.AU

TRUWORKWEAR.COM.AU

LADIES

DSW2166T1

Lightweight Vented L/S Hi-Vis Drill Shirt with 3M™ Tape

TRU
WORKWEAR
PLUS
SERIES



COLOURS

- DSW2166T1-Y/N
Yellow/Navy
8-22
- DSW2166T1-O/N
Orange/Navy
8-22

PACKAGING

- 10 20

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957:1998 Textiles

- Care labelling

- Wash prior to first time use
- Machine wash at no more than 70°C
- Do not bleach or use whiteners
Wash with standard laundry detergent
- Dry in shade
- Do not overdry
- Warm tumble dry
- Rinse thoroughly
- Hot iron
- Dry cleanable (A)

SUN PROTECTION

UPF50+ Excellent Protection

Garments received a pass under AS4399:2020 Sun protective clothing

- Evaluation and classification

FEATURES

- Lightweight breathable fabric offers all day wearer comfort
- Horizontal back cooling vents and underarm mesh vents keep you cool in hot and humid conditions
- Adjustable cuff for fitted comfort
- Colour-fast fabric maintaining long-term high-visibility
- 3M™ Scotchlite™ Reflective tape tested to Standard AS/NZS 1906.4:2010
- Double hoop tape configuration
- Fabric controls undesired static electricity in accordance with Standard AS/NZS 1020:1995



SIZING

Size	8	10	12	14	16	18	20	22
To Fit Bust (cm)	85	90	95	100	105	110	115	120

TRUWORKWEAR.COM.AU

CSW2000T3

Lightweight Hi-Vis Shirt with TRuVis Tape

TRU
WORKWEAR
CORE
SERIES



COLOURS

- CSW2000T3-Y/N
Yellow/Navy
8-22
- CSW2000T3-O/N
Orange/Navy
8-22

PACKAGING

- 10 20

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957:1998 Textiles

- Care labelling

- Wash prior to first time use
- Machine wash at no more than 70°C
- Do not bleach or use whiteners
Wash with standard laundry detergent
- Dry in shade
- Do not overdry
- Warm tumble dry
- Rinse thoroughly
- Hot iron
- Dry cleanable (A)

SUN PROTECTION
UPF50+ Excellent Protection
Garments received a pass under AS4399:2020 Sun protective clothing

- Evaluation and classification

To request a sample or further technical advice please contact admin@truwear.com.au

© 2021 Tru Workwear Pty Ltd | Issue May 2021

TRUWORKWEAR.COM.AU

TRUWORKWEAR.COM.AU

CT1080T3

Midweight Drill Trouser with TRUVis Reflective Tape

FEATURES

- Midweight fabric offering comfort and durability
- TRUVis Reflective Tape tested to standard AS/NZS 1906.4:2010
- 2 pocket trouser; two hip pockets, two rear pockets, mobile, coin, and multi-tool pockets, two cargo pockets, one with pen partition
- Range of sizes for a comfortable waistline fit
- Wide belt loops
- Four eyeslets at crotch, specific to mens trousers
- Fabric controls undesired static electricity in accordance with Standard AS/NZS 1020:1995
- *Class N only applicable when worn with a compliant shirt



SIZING

Size	77R	82R	87R	92R	97R	102R	107R	112R
Waist (Inches)	30	32	34	36	38	40	42	44
Inside Leg (cm)	74	77	79	83	84	87	87	87
Size	87S	92S	97S	102S	107	112S	117S	122S
Waist (Inches)	34	36	38	40	42	44	46	48
Inside Leg (cm)	69	71	74	76	79	81	81	81
Size	79L	84L	89L	94L				
Waist (Inches)	30	32	34	36				
Inside Leg (cm)	81	83	85	88				

TRU
WORKWEAR
CORE
SERIES

COLOURS

CT1080T3-NAV
Navy
77R-112R
87S-132S
79L-94L

PACKAGING

5 1 20 20

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957:1998 Textiles
- Care labelling

- Wash prior to first time use
- Machine wash at no more than 70°C
- Do not bleach or use whiteners
- Wash with standard laundry detergent
- Dry in shade
- Do not overdry
- Warm tumble dry
- Rinse thoroughly
- Hot iron
- Dry cleanable (A)

SUN PROTECTION

UPF50+ Excellent Protection
Garments received a pass under AS4399:2020 Sun protective clothing - Evaluation and classification

TRUWORKWEAR.COM.AU

DT1142T

Heavyweight Cotton Cargo Trouser with 3M™ Tape

FEATURES

- Heavyweight cotton fabric offering sturdiness and durability
- 3M™ Scotchlite™ Reflective Tape tested to Standard AS/NZS 1906.4:2010
- Two hip pockets, two cargo pockets and single rear pocket
- Coin and tool pocket
- Range of sizes for a comfortable waistline fit
- Wide belt loops
- Fabric controls undesired static electricity in accordance with Standard AS/NZS 1020:1995

*Class N only applicable when worn with a compliant shirt



MENS

TRU
WORKWEAR
PLUS
SERIES

COLOURS

DT1142T-NAV
Navy
72R-112R
87S-132S
79L-94L

PACKAGING

1 1 20 20

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957:1998 Textiles

- Care labelling

- Wash prior to first time use
- Machine wash at no more than 70°C
- Do not bleach or use whiteners
- Wash with standard laundry detergent
- Dry in shade
- Do not overdry
- Warm tumble dry
- Rinse thoroughly
- Hot iron
- Dry cleanable (A)

SUN PROTECTION

UPF50+ Excellent Protection
Garments received a pass under AS4399:2020 Sun protective clothing - Evaluation and classification

TRUWORKWEAR.COM.AU

To request a sample or further technical advice please contact admin@truwearwear.com.au

© 2021 Tru Workwear Pty Ltd | Issue May 2021



www.carokglobal.com

DTW1150T

Midweight Cotton Cargo Trouser with 3M™ Tape

FEATURES

- Durable midweight cotton canvas fabric
- 3M™ Scotchlite™ Reflective Tape tested to standard AS/NZS 1906.4:2010
- Two hip pockets and two rear pockets
- Cargo pockets on both legs
- Phone and multi-tool pocket
- Range of sizes for a comfortable waistline fit
- Wide belt loops
- Fabric controls undesired static electricity in accordance with Standard AS/NZS 1020:1995
- *Class N only applicable when worn with a compliant shirt



SIZING

Size	6	8	10	12	14	16	18	20	22	24
To Fit Waist (cm)	67	72	77	83	97	92	97	102	107	112
To Fit Hips (cm)	88	93	98	103	108	113	118	123	128	133

TRU
WORKWEAR
PLUS
SERIES

COLOURS

DTW1150T-NAV
Navy
6-24

PACKAGING

1 1 20 20

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957:1998 Textiles
- Care labelling

- Wash prior to first time use
- Machine wash at no more than 70°C
- Do not bleach or use whiteners
- Wash with standard laundry detergent
- Dry in shade
- Do not overdry
- Warm tumble dry
- Rinse thoroughly
- Hot iron
- Dry cleanable (A)

SUN PROTECTION

UPF50+ Excellent Protection

Garments received a pass under AS4399:2020 Sun protective clothing

- Evaluation and classification

TRUWORKWEAR.COM.AU

LADIES

TRU
WORKWEAR
CORE
SERIES

CTW1080T3

Midweight Cotton Trouser with TRUVis Tape

FEATURES

- Midweight fabric offering comfort and durability
- 3 pocket trouser; two hip pockets, two rear pockets, mobile, coin, and multi-tool pockets, two cargo pockets, one with pen partition
- Range of sizes for a comfortable waistline fit
- Wide belt loops
- Right over left fly, specific to womens trousers
- TRUVis Reflective Tape tested to Standard AS/NZS 1906.4:2010
- Fabric controls undesired static electricity in accordance with Standard AS/NZS 1020:1995
- *Compliant when worn with Australian standards Class N or Class DIN upper garment

*Compliant when worn with Australian standards Class N or Class DIN upper garment



SIZING

Size	6	8	10	12	14	16	18	20	22	24
To Fit Waist (cm)	67	72	77	83	97	92	97	102	107	112
To Fit Hips (cm)	88	93	98	103	108	113	118	123	128	133

To request a sample or further technical advice please contact admin@truwearwear.com.au

© 2021 Tru Workwear Pty Ltd | Issue May 2021



COLOURS

CTW1080T3-NAV
Navy
6-24

PACKAGING

5 1 20 20

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957:1998 Textiles

- Care labelling

- Wash prior to first time use
- Machine wash at no more than 70°C
- Do not bleach or use whiteners
- Wash with standard laundry detergent
- Dry in shade
- Do not overdry
- Warm tumble dry
- Rinse thoroughly
- Hot iron
- Dry cleanable (A)

SUN PROTECTION

UPF50+ Excellent Protection

Garments received a pass under AS4399:2020 Sun protective clothing

- Evaluation and classification

TRUWORKWEAR.COM.AU

DT1154T

Denim Jeans with 3M™ Tape

FEATURES

- 14.5 ounce sturdy denim
- 3M™ Scotchlite™ Reflective Tape tested to Standard AS/NZS 1906.4:2010
- Five pocket
- Range of sizes for a comfortable waistline fit
- Fabric controls undesired static electricity in accordance with Standard AS/NZS 1020:1995

*Class M only applicable when worn with a compliant shirt



SIZING

Size	72R	77R	82R	87R	92R	97R	102R	107R	112R
Waist (Inches)	28	30	32	34	36	38	40	42	44
Inside Leg (cm)	71	74	77	79	83	84	87	87	87
Size	87S	92S	97S	102S	107	112S	117S	122S	127S
Waist (Inches)	34	36	38	40	42	44	46	48	50
Inside Leg (cm)	69	71	74	76	79	81	81	81	81
Size	79L	84L	89L	94L					
Waist (Inches)	30	32	34	36					
Inside Leg (cm)	81	83	85	88					

To request a sample or further technical advice please contact admin@truwearwear.com.au
© 2021 Tru Workwear Pty Ltd | Issue May 2021



DC2120T1

Lightweight Hi-Vis Cotton Coverall with 3M™ Tape

FEATURES

- Lightweight fabric offering comfort, flexibility and durability
- Two tone colour combination
- 3M™ Scotchlite™ Reflective tape tested to Standard AS/NZS 1906.4:2010
- Double hoop tape configuration
- Heavy duty nylon press studs
- Adjustable cuff for durable comfort
- Fabric controls undesired static electricity in accordance with Standard AS/NZS 1020:1995



COLOURS

DC2120T1-Y/N Yellow/Navy

77R-122R

87S-132S

79L-94L

DC2120T1-O/N Orange/Navy

77R-122R

87S-132S

79L-94L

PACKAGING

1 20

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957-1998 Textiles - Care labelling

Wash prior to first time use

Machine wash at no more than 70°C

Do not bleach or use whiteners

Wash with standard laundry detergent

Dry in shade

Do not overdry

Warm tumble dry

Rinse thoroughly

Hot iron

Dry cleanable (A)

SUN PROTECTION

UPF50+ Excellent Protection

Garments received a pass under AS4399:2020 Sun protective clothing - Evaluation and classification

SIZING

Size	77R	82R	87R	92R	97R	102R	107R	112R	117S	122S
Waist (Inches)	30	32	34	36	38	40	42	44	46	48
Inside Leg (cm)	74	77	79	83	84	87	87	87	87	87
Size	87S	92S	97S	102S	107	112S	117S	122S	127S	132S
Waist (Inches)	34	36	38	40	42	44	46	48	50	52
Inside Leg (cm)	69	71	74	76	79	81	81	81	81	81
Size	79L	84L	89L	94L						
Waist (Inches)	30	32	34	36						
Inside Leg (cm)	81	83	85	88						

To request a sample or further technical advice please contact admin@truwearwear.com.au

© 2021 Tru Workwear Pty Ltd | Issue May 2021

TRUWORKWEAR.COM.AU

TRUWORKWEAR.COM.AU



C CERTIFIED PRODUCT

TJ1970T9

Rain Set in Bag for Day and Night Work

FEATURES

- 100% polyester 190gsm taffeta with PVC coating
- Colour fast fabric maintaining high-visibility standards
- TruVis Reflective Tape tested to Standard AS/NZS 1906.4:2010
- Waterproof garment, designed to withstand wet conditions

Jacket

- Over the shoulder "X-back" and double hoop tape configurations
- Concealed hood with drawcord
- Back vented jacket with underarm eyelets for optimal ventilation

Trouser

- Bottom section leg tape configuration to enhance visibility of limbs during movement
- Elasticated waistline with additional drawcord and comfortable fit
- Side entry access pockets
- Bottom hem with press stud for adjustment



COLOURS

TJ1970T9-YEL Yellow S-5XL

TJ1970T9-ORA Orange S-5XL

PACKAGING

1 10

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957-1998 Textiles - Care labelling

Wash machine wash with like colours

Do not bleach

Do not tumble dry

Do not iron

Do not dry clean

Do not expose to naked flame

C CERTIFIED PRODUCT

TJ2945T4

Wet Weather Jacket with Removable Sleeves and TruVis Reflective Tape

FEATURES

- 3000g polyester oxford fabric offering comfort, flexibility and durability
- Polar fleece lined inner
- Colour fast fabric maintaining long term high-visibility
- Waterproof garment, and breathable fabric with sealed seams for extra insulation from water
- TruVis Reflective Tape tested to Standard AS/NZS 1906.4:2010
- Over the shoulder "X-back" and double hoop tape configuration to enhance visibility of limbs during movement
- IPD zip off sleeves for hotter conditions
- Storm flap over front zip for extra insulation from water
- Combines as the inner jacket component of TJ2920T6



COLOURS

TJ2945T4-Y/N Yellow/Navy

X-5XL

Orange/Navy

X-5XL

PACKAGING

1 10

CARE INSTRUCTIONS

Written in accordance with AS/NZS 1957-1998 Textiles - Care labelling

Wash machine wash with like colours

Do not bleach

Do not tumble dry

Do not iron

Do not dry clean

Do not expose to naked flame

SIZING

Size	XS	S	M	L	XL	2XL	3XL	4XL	5XL
Neck (cm)	34/37	38/39	41/42	43/44	45/46	47/48	49/50	51/52	
To Fit Chest (cm)	90	95	100	105	110	115	120	125	

To request a sample or further technical advice please contact admin@truwearwear.com.au

© 2021 Tru Workwear Pty Ltd | Issue May 2021

TRUWORKWEAR.COM.AU

TRUWORKWEAR.COM.AU

LONGREACH ULTRA

www.bataindustrials.com.au



804-66010

Sizes

UK3-14 (Half sizes 6½-10½)

Range

Helix

Colour

Black

Description

Premium 6" lace-up ankle boot with steel safety toecap.



BOOT DETAILS

Industry	Mining, Construction, Landscaping
Construction	Injected
Upper Material	Full Grain Leather
Lining Material	Mesh
Insole	Polyurethane
Safety Toe Cap	Steel
Midsole	Polyurethane
Outsole	Rubber

BOOT FEATURES

Padded Collar & Tongue	Added foam around the ankle & shin area to provide better support, stability and comfort.
Full Grain Leather Upper	Made from high quality, long lasting black full grain leather.
Steel Toe Cap	Capable of resisting a drop force of 200 joules to offer premium protection for your toes.
3D Impact Protection	Capable & impact absorption to help soften the weight of working on your feet.
Kevlar Stitching	Strong thread that is made from heat and fire retardant meta-aramid fiber.
Toe Scuff Protection	Added toe scuff and abrasion protection to prolong the life of the boot.
Erg Protection	Minimises the flow electricity to the ground, reducing the risk of electrocution.
Slip, Fuel & Oil Resistant	Designed to meet the slip, fuel & oil resistance for standard AS/NZS 2210.3:2019 FO SRC.
Michelin Rubber Outsole	Durable Michelin outsole designed for maximum grip and provides heat resistance up to 300°C.
3M Scotchgard Protection	Added leather protection from oil and water and also makes cleaning easier.

STANDARD CERTIFICATION

- AS 2210.3:2019 SB FO E HRO SRC
- ASTM F2413-18 EH Resistant

1158 Nepean Hwy | Mornington | Victoria | 3931 | Australia
Toll Free: 1800 644 297 | Fax: (03) 5976 2279
Email: au.customer.service@batashoes.net

SERIOUSLY.



SATURN

www.bataindustrials.com.au



705-60510

Sizes

UK2-13 (Half sizes 6½-10½)

Range

Naturals

Colour

Black

Description

Lace-up ankle boot with steel safety toecap.



BOOT DETAILS

Industry	Agriculture, Automotive, Manufacturing
Construction	Injected
Upper Material	Smooth Leather
Lining Material	Cambrielle
Insole	Polyurethane
Safety Toe Cap	Steel
Midsole	Polyurethane
Outsole	Polyurethane

BOOT FEATURES

Padded Collar & Tongue	Added foam around the ankle & shin area to provide better support, stability and comfort.
Wheat Nubuck Leather Upper	Made from high quality, long lasting nubuck leather.
Steel Toe Cap	Capable of resisting a drop force of 200 joules to offer premium protection for your toes.
Anti-static Protection	Designed to dissipate the amount of static electricity built up by dissipating it through the sole.
Slip & Oil Resistant	Designed to meet the slip & oil resistance for standard AS/NZS 2210.3.
Heat Resistant PU Outsole	PU outsole is abrasion & heat resistant up to 130°C.
Anti-bacterial Anti-Odour Lining	Plant-based antimicrobial protection that eliminates 99% of odour causing bacteria.

STANDARD CERTIFICATION

- AS 2210.3:2019 SRA

1158 Nepean Hwy | Mornington | Victoria | 3931 | Australia
Toll Free: 1800 644 297 | Fax: (03) 5976 2279
Email: au.customer.service@batashoes.net

SERIOUSLY.



TREKKER ULTRA

www.bataindustrials.com.au



804-44021

Sizes

UK3-14 (Half sizes 6½-10½)

Range

Helix

Colour

Claret

Description

Premium elastic sided slip on boot with steel safety toecap.



BOOT DETAILS

Industry	Agriculture, Automotive, Manufacturing
Construction	Injected
Upper Material	Full Grain Leather
Lining Material	Mesh
Insole	Polyurethane
Safety Toe Cap	Steel
Midsole	Polyurethane
Outsole	Rubber

BOOT FEATURES

Full Grain Leather Upper	Made from high quality, long lasting claret full grain leather.
Steel Toe Cap	Capable of resisting a drop force of 200 joules to offer premium protection for your toes.
Kevlar Stitching	Strong thread that is made from heat and fire retardant meta-aramid fiber.
Michelin Rubber Outsole	Durable Michelin outsole designed for maximum grip and provides heat resistance up to 300°C.
Toe Scuff Protection	Added toe scuff and abrasion protection to prolong the life of the boot.
Erg Protection	Minimises the flow electricity to the ground, reducing the risk of electrocution.
Slip, Fuel & Oil Resistant	Designed to meet the slip, fuel & oil resistance for standard AS/NZS 2210.3:2019 FO SRC.

STANDARD CERTIFICATION

- AS 2210.3:2019 SB FO E HRO SRC
- ASTM F2413-18 EH Resistant

1158 Nepean Hwy | Mornington | Victoria | 3931 | Australia
Toll Free: 1800 644 297 | Fax: (03) 5976 2279
Email: au.customer.service@batashoes.net

SERIOUSLY.

JOBMASTER 3

www.bataindustrials.com.au



892-62290

Sizes

UK4-14

Range

Safety Gumboots

Colour

Black/Grey

Description

400mm PVC safety toe gumboot.



BOOT DETAILS

Industry	Agriculture, Livestock, Farming, Construction
Construction	Injected
Upper Material	PVC Nitrile
Lining Material	Nylon
Insole	Polyurethane
Safety Toe Cap	Steel
Midsole	PVC
Outsole	PVC

BOOT FEATURES

Water Resistant	Resistant to water penetrating the inside of the boot.
Oil & Acid Resistant	Designed to meet the oil & acid resistance for standard AS 2210.3:2019
Electric Hazard Protection	Designed to significantly minimise the flow electricity to the ground, reducing the possibility of electrocution.

STANDARD CERTIFICATION

- AS 2210.3:2019 SRC

- ASTM F2413-18 EH Resistant

1158 Nepean Hwy | Mornington | Victoria | 3931 | Australia
Toll Free: 1800 644 297 | Fax: (03) 5976 2279
Email: au.customer.service@batashoes.net

SERIOUSLY.

PRODUCT DATASHEET

GFFPR100

Coolflex AGT

HI-VIS



Features

- Nylon spandex liner enhances user flexibility and comfort
- Knitted 13 gauge liner allows for exceptional dexterity for performing intricate handling duties
- Force360's AGT coating is a proprietary coating formula that provides industry leading wet, dry and oil grip
- Perfect form fit and comfort is achieved through Force360's unique knit pattern that mimics a 'hand at rest', minimizing hand fatigue
- Only selected materials that allow air flow are used to ensure 360 degree air circulation and enhanced breathability
- UPF50+ offering maximum sun protection
- The Activfresh Sanitized treatment neutralizes odour creating bacteria ensuring the gloves are kept fresher for longer

Standards & Certification



Force360 recognise that without product certification by a Notified Body all product performance testing, and adherence to standards claims cannot be independently verified. If they are not as claimed, serious safety implications for the wearer, and legal implications for the supplier and even the employer may arise. Force360 source their entire range of Synthetic hand protection from a single manufacturing partner to ensure consistency and reliability of product, but most importantly Force360 have taken the further step of engaging a globally recognised Notified Body to audit and certify both the manufacturing process and the products. All of Force360's hand protection is certified to the latest AS/NZS hand protection standards.

DESIGNED
TO PROTECT

Specifications

Part No. GFFPR100
Liner Polyester
Coating AGT

Packaging

1 12 144

Sizing & Fit

Available Sizes
● GFFPR100.S Small
● GFFPR100.M Medium
● GFFPR100.L Large
● GFFPR100.XL X Large
● GFFPR100.2XL 2X Large

DEXTERITY LEVEL
Maximum Dexterity Level 5
Certified under AS/NZS 2161.2

PRODUCT DATASHEET

EFPR800

Air

CLEAR LENS



Features

- Certified medium impact rated protection to AS/NZS 1337.1:2010
- Diamond Tech Hardcoat provides extreme scratch resistance and resists acid and solvent degradation
- HydroTech AF is a washable hydrophilic based coating providing an anti-static finish that repels dusts and particles and prevents fog forming on the lens, the ideal coating for hot and humid conditions
- Base 0.5 mm clear provides excellent optical clarity and an extended wrap for increased side protection
- World's lightest safety spectacle at only 16 grams
- UV400 polycarbonate lenses offer the wearer the best protection against UVA and UVB damaging rays
- Ultra thin lenses provide outstanding optical clarity
- Made from 100% durable and resilient polycarbonate
- Connection point for spectre cord or lanyard
- Universal nose bridge that suits most faces

Standards & Certification

Force360 recognise that without product certification by a Notified Body all product performance testing, and adherence to standards claims cannot be independently verified. If they are not as claimed, serious safety implications for the wearer, and legal implications for the supplier and even the employer may arise. Force360 source their entire range of FRR eye protection from a single manufacturing partner to ensure consistency and reliability of product, but most importantly Force360 have taken the further step of engaging a globally recognised Notified Body to audit and certify both the manufacturing process and the products. All of Force360's eye protection is certified to the latest AS/NZS eye protection standards.

DESIGNED TO PROTECT **FORCE**
360

Specifications

Part No. EFPR800
Lens Colour Clear Lens
VLT Rating 89%
Lens Shade Category 0

Packaging

1 12 144

Alternative Lens Options



PRODUCT DATASHEET

EFPR801

Air

CLEAR LENS



Features

- Certified medium impact rated protection to AS/NZS 1337.1:2010
- Diamond Tech Hardcoat provides extreme scratch resistance and resists acid and solvent degradation
- HydroTech AF is a washable hydrophilic based coating providing an anti-static finish that repels dusts and particles and prevents fog forming on the lens, the ideal coating for hot and humid conditions
- Base 0.5 mm curve provides excellent optical clarity and an extended wrap for increased side protection
- World's lightest safety spectacle at only 16 grams
- UV400 polycarbonate lenses offer the wearer the best protection against UVA and UVB damaging rays
- Ultra thin lenses provide outstanding optical clarity
- Made from 100% durable and resilient polycarbonate
- Connection point for spectre cord or lanyard
- Universal nose bridge that suits most faces

Standards & Certification

Force360 recognise that without product certification by a Notified Body all product performance testing, and adherence to standards claims cannot be independently verified. If they are not as claimed, serious safety implications for the wearer, and legal implications for the supplier and even the employer may arise. Force360 source their entire range of FRR eye protection from a single manufacturing partner to ensure consistency and reliability of product, but most importantly Force360 have taken the further step of engaging a globally recognised Notified Body to audit and certify both the manufacturing process and the products. All of Force360's eye protection is certified to the latest AS/NZS eye protection standards.

DESIGNED TO PROTECT **FORCE**
360

Specifications

Part No. EFPR801
Lens Colour Smoke Lens
VLT Rating 23%
Lens Shade Category 2

Packaging

1 12 144

Alternative Lens Options



To request a sample or further technical advice please contact sales@force360.com.au

© 2021 Private Brands Pty Ltd | Product Datasheet 04/2021

FORCE360.com.au

To request a sample or further technical advice please contact sales@force360.com.au

© 2021 Private Brands Pty Ltd | Product Datasheet 04/2021

FORCE360.com.au



www.carokglobal.com

PRODUCT DATASHEET

HPFPR57ML

Miners Metal Bracket Type 1

VENTED PINLOCK HARD HAT



DESIGNED TO PROTECT **FORCE**
360

Features

- Certified Australian design and manufacture for trusted and reliable head protection
- Lightest Type 1 hard hat on the Australian market, made with high impact ABS
- Light 6 point harness is made from terylene that ensures comfort and cushioning
- Easy adjustable pinlock strap for secure fit
- Reinforced rain peak
- Unique accessory slot ensures most 25mm and 30mm earmuff, visor adaptors, and the like fit securely
- Integrated vents improve air circulation, ideal for wearing in hot and humid environments
- Metal lamp bracket
- Pad printable in three areas up to four colours

Standards & Certification

Force360 recognise that without product certification by a Notified Body all product performance testing, and adherence to standards claims cannot be independently verified. If they are not as claimed, serious safety implications for the wearer, and legal implications for the supplier and even the employer may arise. Force360 source their entire range of head protection from a single manufacturing partner to ensure consistency and reliability of product, but most importantly Force360 have taken the further step of engaging a globally recognised Notified Body to audit and certify both the manufacturing process and the products. All of Force360's head protection is certified to the latest AS/NZS head protection standards.

DESIGNED TO PROTECT **FORCE**
360

Specifications

Part No. HPFPR57ML
Harness 6 point harness with pinlock adjustment

Packaging

20 Hard Hats

Available Colours

Standard Colours HPFPR57ML_YEL White Yellow

PRODUCT DATASHEET

RWRX251

P2V VALVED RESPIRATOR



DESIGNED TO PROTECT **FORCE**
360

Features

- P2 protection for mechanically generated dusts, mists, fumes and particles
- Dual latex free straps
- Micro valve to reduce breathing resistance in hot and humid environments
- Adjustable nose bridge for personalised fit and foam seal for extra comfort

Standards & Certification

Force360 recognise that without product certification by a Notified Body all product performance testing, and adherence to standards claims cannot be independently verified. If they are not as claimed, serious safety implications for the wearer, and legal implications for the supplier and even the employer may arise. Force360 source their entire range of respiratory protection from a single manufacturing partner to ensure consistency and reliability of product, but most importantly Force360 have taken the further step of engaging a globally recognised Notified Body to audit and certify both the manufacturing process and the products. All of Force360's respiratory protection is certified to the latest AS/NZS respiratory protection standards.

DESIGNED TO PROTECT **FORCE**
360

Specifications

Part No. RWRX251
Protection P2
Usage Disposable

Packaging

10 Respirators
24 Boxes

Shelf Life

Three years from date of manufacture

To request a sample or further technical advice please contact sales@force360.com.au

© 2021 Private Brands Pty Ltd | May 2021

FORCE360.com.au

FORCE360.com.au

For an accurate fit please ensure the measuring tape is level and firm, but not tight.

Neck	Measure at collar level with 2 fingers behind the measuring tape
Chest/Bust	Stand naturally, measure around the largest part of chest/bust
Waist/Hips	Stand naturally, measure around waistline or hips
Inside Leg	Measured from the crotch to the heel of the shoe

Tips for Measuring

- Thinner clothing or only undergarments is best when measuring
- Hold tape straight when measuring, ensure no slack distorts measurement
- Place fingers underneath measurements on tape to not obstruct view
- Ask another person to read measurements for you

SIZING CHARTS

Shirts, Jackets and Vests

Size	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL
Neck (cm)	34/35	36/37	38/39	41/42	43/44	45/46	47/48	49/50	51/52	53/54	55/56
To Fit Chest (cm)	85	90	95	100	105	110	115	120	125	130	135

Coveralls, Pants and Shorts

Size	72R	77R	82R	87R	92R	97R	102R	107R	112R	117R	122R
Waist (Inches)	28	30	32	34	36	38	40	42	44	46	48
Inside Leg (cm)	71	74	77	79	83	84	87	87	87	87	87
Size	87S	92S	97S	102S	107S	112S	117S	122S	127S	132S	
Waist (Inches)	34	36	38	40	42	44	46	48	50	52	
Inside Leg (cm)	69	71	74	76	79	81	81	81	81	81	
Size	79L	84L	89L	94L							
Waist (Inches)	30	32	34	36							
Inside Leg (cm)	80	83	85	88							

Women's Shirts

Size	8	10	12	14	16	18	20	22
To Fit Bust (cm)	85	90	95	100	105	110	115	120

Women's Trousers

Size	6	8	10	12	14	16	18	20	22	24
To Fit Waist (cm)	67	72	77	83	97	92	97	102	107	112
To Fit Hips (cm)	88	93	98	103	108	113	118	123	128	133



BATA INDUSTRIALS
THE SAFETY SHOE



GET IN TOUCH

05 005 9773 / 02 464 143 28

  carok_safety  Carok safety  carokglobal.com  carokltd@gmail.com

**Location: Tema Community 17, Lashibi. NDC Bus Stop, Adjacent to
Crown Premier Hotel, Tema, Ghana**